



Bone Punches And Rongeurs




Angled positions for punches



90° upwards cutting




90° upwards cutting



Punches

90° upwards cutting



05-7387
4 mm




05-7388
5 mm



05-7387 - 05-7388
KERRISON

90° upwards cutting



05-7389
3,3 mm



05-7390
4,0 mm



05-7389 - 05-7390
HAJEK-KOFLER

Punches

130° upwards cutting

KERRISON-JACOBY

05-7391
1 mm 


FERRIS-SMITH-KERRISON

05-7392
2 mm 

05-7393
3 mm 

05-7394
4 mm 

05-7395
5 mm 



05-7391 - 05-7395

90° upwards cutting

KERRISON-JACOBY

05-7396
1 mm 


05-7397
2 mm 

FERRIS-SMITH-KERRISON

05-7398
3 mm 

05-7399
4 mm 



05-7400
5 mm 



05-7396 - 05-7400

Rongeurs

Angled positions for rongeurs





05-7401
3,0 mm

05-7402
3,6 mm


05-7403
4,2 mm

05-7404
4,8 mm

05-7405
5,8 mm



130°



Rongeurs


LOVE-GRUENWALD

05-7408
2 X 10 mm

05-7409
3 X 10 mm

SPURLING

05-7410
4 X 10 mm




05-7408 - 05-7410

05-7411
2 mm

05-7412
3 mm

05-7413
4 mm

05-7414
5 mm




05-7411 - 05-7414
CASPAR

150°

05-7415
2 mm

05-7416
3 mm

05-7417
4 mm



05-7415 - 05-7417
CASPAR

Rongeurs


150°

Lower part of jaws movable

05-7418
2 mm

05-7419
3 mm

05-7420
4 mm



05-7418 - 05-7420
CASPAR

Length of shaft 140 mm	Length of shaft 160 mm	Length of shaft 185 mm	size of jaws
---------------------------	---------------------------	---------------------------	--------------

05-7421

05-7426

05-7431

2 X12 mm

 1/4

05-7422

05-7427

05-7432

3 X12 mm

 1/4

05-7423

05-7428

05-7433

4 X14 mm

 1/4

05-7424

05-7429

05-7434

5 X14 mm

 1/4

05-7425

05-7430

05-7435

6 X16 mm

 1/4



05-7421 - 05-7435
CASPAR

150°

Length of shaft 140 mm	Length of shaft 160 mm	Length of shaft 185 mm	size of jaws
---------------------------	---------------------------	---------------------------	--------------

05-7436

05-7439

05-7442

3 X12 mm

 1/4

05-7437

05-7440

05-7443

4 X14 mm

 1/4


05-7438

05-7441

05-7444

5 X14 mm

 1/4




05-7436 - 05-7444
CASPAR

Rongeurs

150°

Lower part of jaw movable

Length of shaft 140 mm	Length of shaft 160 mm	Length of shaft 185 mm	size of jaws
05-7445	05-7447	05-7449	3 X 12 mm
05-7446	05-7448	05-7450	4 X 14 mm





1/2

05-7445 - 05-7450
CASPAR

05-7451
2 X 10 mm
CUSHING

05-7452
3 X 10 mm
LOVE-GRUENWALD

05-7453
4 X 10 mm
SPURLING



180 mm


1/2

05-7451 - 05-7453

150°

05-7454
3 X 10 mm
LOVE-GRUENWALD

05-7455
4 X 10 mm
SPURLING



180 mm

1/2

05-7454 - 05-7455


Rongeurs

150°

Upper part of jaw
movable


05-7456
3 X 10 mm
LOVE-GRUENWALD

05-7457
4 X 10 mm
SPURLING



05-7456 - 05-7457


05-7458
Ø 7 mm



05-7458
OLDBERG


05-7459
YASARGIL
Ø 2,2 mm

05-7460
YASARGIL
Ø 3,5 mm



05-7459 - 05-7460


Rongeurs



05-7461
CASPAR

05-7462
4 mm


Osteophyte Rongeur



05-7462
CASPAR

05-7463
5,5 mm

Very Heavy Pattern



05-7463
WAGNER



Plot # 13/B, Small Industrial Estate,
Sialkot 51310 - Pakistan.
Tel: +92 53 3552444
Fax: +92 53 3550700
Email: info@g-devices.com / glomeddevices@gmail.com
URL: www.g-devices.com